






Minimum Submersion Level

MODEL	Dimensions in mm unless otherwise specified									
	A	B	C	D	E	F	G	H	I	J
A2-15	536	294	210	127	260	262	DN65 PN10	145	60	140
A2-22	536	294	210	127	260	262	DN65 PN10	145	60	140
A2-41	556	340	198	180	260	244	DN80 PN16	160	100	200
A2-56	610	368	198	180	320	274	DN80 PN16	160	100	200
A2-75	610	368	198	180	320	274	DN80 PN16	160	100	200
A2-97	610	368	198	180	320	274	DN80 PN16	160	100	200

©2024 Industrial Flow Solutions Operating, LLC. All rights reserved.

Industrial Flow Solutions Operating, LLC • 104 John W Murphy Drive, New Haven, CT 06513, USA
(860) 631-3618 • www.flowsolutions.com

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE




MODEL	Dimensions in mm unless otherwise specified											
	A	B	C	D	E	F	G	H	I	J	K	L
A4-15	441	80	398	245	178	320	143	166	DN80 PN16	200	160	100
A4-22	479	80	398	245	177	320	146	177	DN80 PN16	200	160	100
A4-30	479	80	398	245	177	320	146	177	DN80 PN16	200	160	100
A4-41	618	100	428	266	212	370	168	207	DN100 PN16	220	180	110
A4-56	618	100	428	266	212	370	168	207	DN100 PN16	220	180	110
A4-75	618	100	428	266	212	370	168	207	DN100 PN16	220	180	110

©2024 Industrial Flow Solutions Operating, LLC. All rights reserved.

Industrial Flow Solutions Operating, LLC • 104 John W Murphy Drive, New Haven, CT 06513, USA
(860) 631-3618 • www.flowsolutions.com

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Minimum Submersion Level

MODEL	Dimensions in mm unless otherwise specified											
	A	B	C	D	E	F	G	H	I	J	K	L
A4L-119	723	125	561	324	267	420	208	247	DN150 PN16	285	239	269
A4L-149	790	216	736	453	386	650	238	336	DN200 PN10	286	295	170
A4L-164	806	150	632	367	322	500	246	290	DN150 PN16	285	240	172
A4L-168	723	125	561	324	267	420	208	247	DN150 PN16	285	239	269
A4L-172	832	216	736	453	386	650	238	336	DN200 PN10	286	295	170
A4L-239	832	216	736	453	386	650	238	336	DN200 PN10	286	295	170
A4L-261	847	150	632	367	322	500	246	290	DN150 PN16	285	240	172
A4L-263	832	216	736	453	386	650	238	336	DN200 PN10	286	295	170
A4L-298	1040	150	851	499	345	500	285	320	DN150 PN16	286	238	194
A4L-399	1040	150	851	499	345	500	285	320	DN150 PN16	286	238	194
A4L-455	1040	150	851	499	345	500	285	320	DN150 PN16	286	238	194
A4L-507	1040	150	851	499	345	500	285	320	DN150 PN16	286	238	194

©2024 Industrial Flow Solutions Operating, LLC. All rights reserved.

Industrial Flow Solutions Operating, LLC • 104 John W Murphy Drive, New Haven, CT 06513, USA
(860) 631-3618 • www.flowsolutions.com

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE