


**Minimum Submersion Level**

MODEL	Dimensions in mm unless otherwise specified									
	A	B	C	D	E	F	G	H	I	J
<b>A2-15</b>	536	294	210	127	260	262	DN65 PN10	145	60	140
<b>A2-22</b>	536	294	210	127	260	262	DN65 PN10	145	60	140
<b>A2-41</b>	556	340	198	180	260	244	DN80 PN16	160	100	200
<b>A2-56</b>	610	368	198	180	320	274	DN80 PN16	160	100	200
<b>A2-75</b>	610	368	198	180	320	274	DN80 PN16	160	100	200
<b>A2-97</b>	610	368	198	180	320	274	DN80 PN16	160	100	200

©2024 Industrial Flow Solutions Operating, LLC. All rights reserved.

Industrial Flow Solutions Operating, LLC • 104 John W Murphy Drive, New Haven, CT 06513, USA  
(860) 631-3618 • [www.flowsolutions.com](http://www.flowsolutions.com)

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE



Minimum Submersion Level

MODEL	Dimensions in mm unless otherwise specified											
	A	B	C	D	E	F	G	H	I	J	K	L
<b>A4-15</b>	441	80	398	245	178	320	143	166	DN80 PN16	200	160	100
<b>A4-22</b>	479	80	398	245	177	320	146	177	DN80 PN16	200	160	100
<b>A4-30</b>	479	80	398	245	177	320	146	177	DN80 PN16	200	160	100
<b>A4-41</b>	618	100	428	266	212	370	168	207	DN100 PN16	220	180	110
<b>A4-56</b>	618	100	428	266	212	370	168	207	DN100 PN16	220	180	110
<b>A4-75</b>	618	100	428	266	212	370	168	207	DN100 PN16	220	180	110

©2024 Industrial Flow Solutions Operating, LLC. All rights reserved.

Industrial Flow Solutions Operating, LLC • 104 John W Murphy Drive, New Haven, CT 06513, USA  
(860) 631-3618 • [www.flowsolutions.com](http://www.flowsolutions.com)

SPECIFICATIONS SUBJECT TO CHANGE WITHOUT NOTICE